



## Outdoor Weatherproof TV Product Specification - 2011

INVZN32OD

<b>Panel size</b>	32", 81cm
<b>Panel type</b>	LCD
<b>Aspect ratio</b>	16:9
<b>Resolution</b>	1366x768 @ 60Hz
<b>Contrast ratio</b>	1500:1
<b>Viewing angle</b>	176°
<b>Response time</b>	6.5ms (typical grey to grey)
<b>Brightness</b>	1000cd/m2
<b>TV system</b>	PAL/DVB-T
<b>Digital Tuner</b>	Integrated digital standard definition - generic
<b>Speaker System</b>	spatial stereo (2x10w)
<b>Inputs</b>	
	2x HDMI
	1x RF antenna
	1x SCART/Composite (adapter)
	1x Full SCART
	1x S-video
	1x PC VGA
	1x PC audio
<b>Outputs</b>	
	1x Digital audio
	1x 3.5mm earpiece
<b>Power Supply</b>	240v
<b>Weight</b>	28kg
<b>Dimensions</b>	847(w) x 646(h) x 108(d)mm



## Outdoor Weatherproof TV Product Specification - 2011

INVZN42OD

<b>Panel size</b>	<b>42", 106cm</b>
<b>Panel type</b>	<b>LCD</b>
<b>Aspect ratio</b>	<b>16:9</b>
<b>Resolution</b>	<b>1366x768 @ 60Hz</b>
<b>Contrast ratio</b>	<b>1600:1</b>
<b>Viewing angle</b>	<b>176°</b>
<b>Response time</b>	<b>5ms (typical grey to grey)</b>
<b>Brightness</b>	<b>800cd/m2</b>
<b>TV system</b>	<b>PAL/DVB-T</b>
<b>Digital Tuner</b>	<b>Integrated digital standard definition - generic</b>
<b>Speaker System</b>	<b>spatial stereo (2x10w)</b>
<b>Inputs</b>	
	<b>2x HDMI</b>
	<b>1x RF antenna</b>
	<b>1x SCART/Composite (adapter)</b>
	<b>1x Full SCART</b>
	<b>1x S-video</b>
	<b>1x PC VGA</b>
	<b>1x PC audio</b>
<b>Outputs</b>	
	<b>1x Digital audio</b>
	<b>1x 3.5mm earpiece</b>
<b>Power Supply</b>	<b>240v</b>
<b>Weight</b>	<b>33kg</b>
<b>Dimensions</b>	<b>1087(w) x 787(h) x 112(d)mm</b>



## Outdoor Weatherproof TV Product Specification - 2011

INVZN52OD

<b>Panel size</b>	<b>52", 132cm</b>
<b>Panel type</b>	<b>LCD</b>
<b>Aspect ratio</b>	<b>16:9</b>
<b>Resolution</b>	<b>1920x1080 @ 60Hz</b>
<b>Contrast ratio</b>	<b>2000:1</b>
<b>Viewing angle</b>	<b>176°</b>
<b>Response time</b>	<b>6ms (typical grey to grey)</b>
<b>Brightness</b>	<b>800cd/m2</b>
<b>TV system</b>	<b>PAL/DVB-T</b>
<b>Digital Tuner</b>	<b>Integrated digital standard definition - AS4933</b>
<b>Speaker System</b>	<b>spatial stereo (2x10w)</b>
<b>Inputs</b>	
	<b>2x HDMI</b>
	<b>1x RF antenna</b>
	<b>1x Composite</b>
	<b>1x Component</b>
	<b>1x S-video</b>
	<b>1x PC VGA</b>
	<b>1x PC audio</b>
<b>Outputs</b>	
	<b>1x Digital audio</b>
	<b>1x 3.5mm earpiece</b>
<b>Power Supply</b>	<b>240v</b>
<b>Weight</b>	<b>45kg</b>
<b>Dimensions</b>	<b>1328(w) x 919(h) x 135(d)mm</b>



## Outdoor Weatherproof TV Product Specification - 2011

INVZN60OD

<b>Panel size</b>	<b>60", 152cm</b>
<b>Panel type</b>	<b>LCD</b>
<b>Aspect ratio</b>	<b>16:9</b>
<b>Resolution</b>	<b>1920x1080 @ 60Hz</b>
<b>Contrast ratio</b>	<b>2000:1</b>
<b>Viewing angle</b>	<b>176°</b>
<b>Response time</b>	<b>6ms (typical grey to grey)</b>
<b>Brightness</b>	<b>800cd/m2</b>
<b>TV system</b>	<b>PAL/DVB-T</b>
<b>Digital Tuner</b>	<b>Integrated digital standard definition - AS4933</b>
<b>Speaker System</b>	<b>spatial stereo (2x10w)</b>
<b>Inputs</b>	
	<b>2x HDMI</b>
	<b>1x RF antenna</b>
	<b>1x Composite</b>
	<b>1x Component</b>
	<b>1x S-video</b>
	<b>1x PC VGA</b>
	<b>1x PC audio</b>
<b>Outputs</b>	
	<b>1x Digital audio</b>
	<b>1x 3.5mm earpiece</b>
<b>Power Supply</b>	<b>240v</b>
<b>Weight</b>	<b>115kg</b>
<b>Dimensions</b>	<b>1458(w) x 941(h) x 150(d)mm</b>